INDEX TO VOLUME 76

Names of contributors are printed in CAPITALS. Names of new genera, species, varieties, forms and combinations are printed in **bold face**. Numbers in *italic* refer to pages on which the name is listed as a synonym. Numbers in **bold face** refer to pages on which the name is accompanied by a description or illustration.

Abies, 284; *balsamea*, 281; *lasiocarpa*, 281
Acer rubrum, 393, 395
Acnida cannabina, 393
Adiantum, 455, 460; *lucidum*, 456; *obliquum*, 456
Aerobacter aerogenes, 251
Ageratum houstonianum, 248
Agloe, 102, 103
Agrostis, 290; *aristiglumis*, 290; *hyemalis*, 393; **parsana**, 290
Alfaroa, 196, 197, 200, 201, 205, 206, 207, 208; *costaricensis* var. **elongata**, **198**, **199**, 202, 203, **204**; *gaulin*, 202; *gavillancillo*, 202; *uruca*, 202
Alisma plantago-aquatica, 393
Allium cepa, 245, 250, 424; *fistulosum*, 424; *porrum*, 245
Althaea rosea, 246, 249
Alyssum maritimum, 248
Amaranthaceae, 247
Ambrosia artemisifolia, 393
Amelanchier oblongifolia, 393, 395
Anchusa capensis, 247
ANDERSON, EDGAR: Introgressive hybridization (Review), 369
Anemopsis, 215, 216; *californica*, 215
Anethum graveolens, 250
Angiopsora, 340
Angiopteris, 128
Annonaceae, 1
Anopheles quadrimaculatus, 214
Anthoceros, 272
Antirrhinum majus, 250
Aphanomyces laevis, 361
Apios tuberosa, 393
Apium graveolens, 51, 250; var. *rapaceum*, 250
Apocynaceae, 247
Aquilegia longissima, 341
Araucaria imbricata, 340, 341
Arisaema, 407, 438; *deflexum*, 409; *Stewardsonii*, 409; *triphyllum*, 407, 408, 413; *triphyllum* subsp. **pusillum**, 407, 408, **409**, 411, 412, 413; *triphyllum* subsp. **Stewardsonii**, **409**, 411, 412, 413; *triphyllum* subsp. **triphyllum**, **407**, 408, 409, 411, 412, 413
Arisarum pene viride Virginianum, 408
Armouria, 89, 95; *beata*, 90, 96
Arracacha, 40, 48; *esculenta*, 47
Arracacia, 39, 40, 45, 50, 51; *acuminata*, 51; *andina*, 39, 41, 47, 48, 49; *edulis*, 51; *elata*, 39, 41, 42, 44, 51; *equatorialis*, 41, 46, 48, 49; *esculenta*, 39; *glaucescens*, 51; *humilis*, 47; *incisa*, 39, 41, 45; *moschata*, 39, 41, 45; **Pennellii**, 40, **41**, 44, 51; **peruviana**, 41, **45**, 46; *tolucensis* var. *multifida*, 41, 49; **Wigginsii**, 41, **43**, 51; *xanthorrhiza*, 39, 40, 41, 45, 47, 49
Artemisia, 262; *absinthium*, 248
Arum acaule, 408; *minus triphyllum*, 408; *triphyllum*, 407, 413
Asclepias incarnata pulchra, 393
Asimina triloba, 1, 5
Asimina triloba, triploid mutants of, 1
Asparagus officinale, 249
Aspergillus, 176; *hidulans*, 176; *niger*, 176; *terreus*, 176
Aspidium thelypteris, 393
Aster novae-angliae, 393; *subulatus*, 393
Asterophlyctis, 357; *sarcoptoides*, 357, 360
Athyrium Macraei, 455, 456
Atkinsia, 89, 97; **cubensis**, **97**, **99**
Atriplex patula, 393
Atropa Belladonna, 262
Aurantioideae, 4, 5
Avena, 259, 263; *sativa*, 255, 262, 263
Baccharis halimifolia, 393
BAILEY, PAUL C.: Differential chromosome segments in *Trillium erectum* L., 319
BALDWIN, J. T., JR.: Hybrid of *Kalanchoë daigremontiana* and *K. verticillata*, 342
BALDWIN, J. T., JR., AND BERNICE M. SPEESE: Cytogeography of *Emilia* in West Africa, 346. Cytogeography of *Saururus cernuus*, 213
Balsaminaceae, 247
Bancroftia xanthorrhiza, 47
BARRETT, MARY F.: *Ficus retusa* L., 53
BEETLE, ALAN A.: Note on the section Microphyllae of *Agrostis*, 290
Bellis perennis, 248
BERGER, C. A.: Recent botanical research at Fordham, 365
Beta glandulosa, 279; *populifolia*, 393, 395; *vulgaris*, 248; *vulgaris* var. *cicla*, 248; *vulgaris* var. *crassa*, 248

Bidens connata, 393; *laevis; trichosperma*, 393
Biota, 130
Bisboeckelera, 292; *irrigua*, 292; *longifolia*, 292
Bochmeria cylindrica, 393
BOLD, HAROLD C.: The morphology of *Chlamydomonas* **chlamydogama**, Sp. Nov., 101
Boraginaceae, 247
Borago officinalis, 247
BOWDEN, WRAY M.: Triploid mutants among diploid seedling populations of *Asimina triloba*, 1
Boyce Thompson Institute for Plant Research, 65
Brachycome iberidifolia, 248
Brassica caulo-rapa, 248; *juncea*, 248; *napobrassica*, 248; *oleracea* var. *acephala*, 248; *oleracea* var. *botrytis; oleracea* var. *capitata*, 248; *oleracea* var. *gemmifera*, 248; *oleracea* var. *italica*, 245, 250; *pekinensis*, 248; *rapa*, 248
Brucella abortus, 251
Bubakia, 340
Bursaria spinosa, 261
Cacalia lyrata, 348; *sonchifolia*, 348
Calendula officinalis, 248
Calla palustris, 389
Callistephus chinensis, 248
Calluna, 12
Caltha palustris, 393
CAMP, W. H.: A note on *Sarracenia*, 10. (Review), 369
Campanula medium var. *calycanthema*, 247
Campanulaceae, 247
Capparidaceae, 247
Capsella, 14
Capsicum frutescens var. *grossum*, 245, 250
Carex neurochlaena, 337
Carludovica, 210; **chiapensis, 210, 211**, 212; *gracilis*, 210; *latifrons*, 210; *utilis*, 210, 212
Carthamus tinctorius, 245
Carum carvi, 250
Carya, 197, 200
Caryophyllaceae, 246
Casparian strips in *Isoetes macrospora*, 134
Catenaria, 300
Catenomyces persicinus, 299, 300
Celosia argentea, 247
Centaurea cyanus, 248
Cephalocarpus, 292; **maguirei, 292**
Chalcas exotica, 262
Chamaecyparis, 400; *thyoides*, 385, 395, 398, 399, 405
Chamaedorea, 212
Cheilanthes, 444, 454, 460; *Lidgatei*, 444, 460
Cheiranthus cheiri, 245, 250
Chenopodiaceae, 248
Chiogenes hispidula, 389
Chlamydomonas, 101, 106; **chlamydogama, 101, 103**, 106, 107
Chlamydomonas, culture methods of, 102
Chlamydomonas eugametos, 103; *sylvicola*, 101
Chlamydomyxa, 167
Chlora, 430
Chomelia asiatica, 430
Chromosome, differential segments, 319
Chromosomes, of *Sarracenia*, 7
Chrysanthemum maximum, 248
Chrysocelis ascotela, 339
Chytriomyces, 352, 354, 357, 359, 362; *appendiculatus*, 355, 357, 360, 362; *aureus*, 362; **Closterii, 352**, 354, **356**, 362; **fructicosus**, 352, **353**, 355, 357, **358**, 359, 360, **361**, 362; *hyalinus*, 361, 362; **lucidus**, 352, **353**, 354, **356**, 362; *nodulatus*, 362; *parasiticus*, 354; *spinosus*, 362; stellatus, 357, 362
Cibotium, 446; *Chamissoi*, 446
Cichorium endiva, 248; *intybus*, 248
Cicuta maculata, 393
Cinna arundinacea, 393
Cinnamomum, 32
Citrullus vulgaris, 248
Citrus, 5
Cladium mariscoides, 395
Cladochytrium, 294, 298, 300; **aureum**, 294, **298**, 300; *crassum*, 298; *hyalinum*, 298, 299, 300; *polystomum*, 298; *replicatum*, 294, 298, 299, 300, 361; *tenue*, 294, 298, 299, 300
Clarkia elegans, 249
Clethra alnifolia, 393, 395
Closterium, 107, 354; *rostratum*, 352, 353, 354, 356, 362
Compositae, 245, 248
Conium Arracacha, 47; moschatum, 44
CONSTANCE, LINCOLN: The South American species of *Arracacia* (Umbelliferae) and some related genera, 39
Convolvulaceae, 245, 246
Convolvulus scammonia, 262; *sepium*, 393
Coptis trifolia, 389
Cordyceps, 24, 26, 28; *australis*, 26, 27, 28, 29; *bicephala*, 26, 28; *curculionum*, 26, 27, 28, 29; *goniophora*, 27, 29; *Huberiana*, 24; *Humberti*, 27; *necator*, 24; *pro-*

liferans, 24; *unilateralis*, 24; *unilateralis* var. *australis*, 26, 27, 28, 29
Coreopsis coronata, 248; *lanceolata*, 248
Coriandrum sativum, 250
Cornus canadensis, 389
Cosmos bipinnatus, 248
Crassulaceae, 345
Crepis capillaris, 3, 4, 319
Cribraria violacea, 167
Cruciferae, 245, 248
Ctenitis, 446; *honolulensis*, 446
Cucumis melo var. *reticulatus*, 248; *sativus*, 249
Cucurbita pepo, 248; *pepo* var. *condensa*, 249; *pepo* var. *ovifera*, 249
CUMMINS, GEORGE B.: New species of *Puccinia* on Lauraceae from China, 31
Cuscuta compacta, 393
Cuthbertia graminea, 4
Cycas circinalis, 130
Cyclosorus cyatheoides, 446
Cymopterus, 39
Cynara cardunculus, 245; *scolymus*, 245
Cynoglossum amabile, 247
Cyperaceae, 291
Cyperus nuttallii, 393; *strigosus*, 393
Cytogeography, of *Saururus cernuus*, 213
Dahlia pinnata, 248
Dalbergia paniculata, 339
Daucus carota, 250
Delaporte, Berthe: The structure of bacteria, 462
Delphinium hybridum, 246, 249
DEMEREC, M.: Advances in genetics (Review), 67
Deparia, 456
Deyeuxia parsana, 290
Dianthus barbatus, 247; *caryophyllus*, 247; *chinensis* var. *heddewigii*, 246, 248
Dicranopteris linearis, 446
Dictydium cancellatum, 170
Didymiandrum, 293; *quaiquinimae*, 293; *stellatum*, 293
Didymium nigripes, 171
Differentiation, embryonic in *Taxus*, 116
Digitalis purpurea, 250
Diospyros virginiana, 4
Dipsaceae, 249
Distichlis spicata, 393, 395, 402
DODGE, B. O.: Taxonomic and genetic features bearing on the origin of *Neurospora tetrasperma*, 364
Dolichos lablab, 249
Draparnaldia glomerata, 354
DUGGAR, B. M.: The mycological background of aureomycin, 307
DUMAN, MAXIMILIAN G.: Range extensions of *Carex neurochlaena* Holm., 337
DUNLOP, DOUGLAS W.: Casparian strips in *Isoetes macrospora*, 134. Notes on the cytology of some lycopsids, 266. Ligule-endodermis of *Isoetes muricata* var. *Braunii*, 440
Eberthella typhosa, 250, 252
Echinochloa walteri, 393
Ectocarpus siliculosus, 107
Elaphoglossum reticulatum, 446
Eleocharis palustris, 393; *rostellata*, 395
Embryo sac, of *Maianthemum canadense*, 17
Emilia, 346, 347, 348, 350; *coccinea*, 346, 350, 351; *guineensis*, 346, 350; *sagittata*, 346, 348, 350; *sonchifolia*, 346, 347, 348, 350; *sonchifolia* var. *mucronata*, 348
Engelhardtia, 201, 203, 205, 208; *chrysolepsis*, 204, 206, 207, 208; *fenzelii*, 208; *mexicana*, 199, 205, 206, 207, 208; *pterocarpa*, 197, 199, 200, 205, 206, 207, 208; *spicata*, 197, 204, 205, 206, 207; *spicata* var. *aceriflora*, 204; *spicata* var. *Colebrookiana*, 204
Epigaea repens, 12
Erechtites hieracifolia, 393
Ericaceae, 12
Eruca sativa, 248
Erwinia carotovora, 251, 252
Eryngium, 39
Erythraea, 430
Escherichia coli, 246, 250, 251, 252, 253
Escholtzia californica, 246, 249
Eucephalocarpus, 292
Eupatorium perfoliatum, 393; *purpureum*, 393
Euphorbia marginata, 249
Euphorbiaceae, 249
Eupteris, 449, 455
Everardia montana, 293; surinamensis, 292, 293
Evolution, of *Gossypium*, 147
Exacum, 430
Excised roots, growth of, 136
Fabiana imbricata, 262
Ferula communis, 250
Ficus, 55, 62, 63; *amblyphylla*, 55, 61; *amplissima*, 60; *arbutifolia*, 55, 60, 61; *bengalensis*, 55, 62; *benghalensis*, 60; *beniamina*, 54; *benjamina*, 58, 59, 63, 64; *calophylla*, 63; *condaravia*, 55, 60, 61; *cotoneaefolia*, 63; *dilatata*, 56, 62; *diversifolia*, 62, 63; *elliptica*, 55, 61; *erecta*, 63; *indica*, 55, 60, 63; *leptocarpa*, 61, 63; *littoralis*, 61, 63; *magnoliifolia*,

63; *malabarica*, 54; *microcarpa*, 54, 58, 59, 61; *microcarpa* var. *littoralis*, 63; *naumannii*, 63; *nervosa*, 63; *nitida*, 53, 56, 57, 58, 59, 60, 61, 62, 63; *nitida reflexa*, 55; *ovoidea*, 62, 63; *pallescens*, 55, 61; *pallida*, 55, 61; *pertusa*, 55, 59; *pisifera*, 55, 61; *prolixa*, 55, 61; *pyrifolia*, 63; *ramentacea*, 59, 61, 63; *reflexa*, 55, 60; *retusa*, 53, 54, 56, 58, 60, 61, 62, 63, 64; *retusa* var. *genuina*, 56, 63; *retusa* var. *macrocarpa*, 63; *retusa* var. *nitida*, 53, 54, 57, 58, 61, 62, 63, 64; *retusa* α *nitida*, 55, 61; *retusa* β *ovoidea*, 56; *retusa* γ *pisifera*, 55, 61; *retusa* var. *retusa*, 56; *retusa* var. *typica*, 53, 54, 56, 58, 62, 63, 64; *retusiformis*, 56, 62, 63; *rubra*, 55, 59, 60, 61; *rubra* var. *amblyphylla*, 55; *tsiela*, 60

Field trip reports: 367, 464

FLEMER, WILLIAM III: The propagation of *Kalmia latifolia* from seed, 12

FLORIN, RUDOLF: The telome theory in its application to the reproductive organs of the Cordaites, Conifers, and Taxads, 143

Foeniculum dulce, 250

Foraminifera, 161, 169

FOSTER, J. W. AND HENRY DAVIS: Detection and occurrence of acid-producing fungi, 174

Fraxinus, 178; *nigra*, 398, 399, 400, 404

Fungi, acid producing, 174, 175

Fusarium conglutinans, 251; *lycopersici*, 251; *melonis*, 251; *niveum*, 251; *oxysporum*, 251

Gaillardia aristata, 375

Gaylussacia frondosa, 393

Gelsemium sempervirens, 257, 262

Gentiana, 430, 438; *asclepiadea*, 438; *campestris*, 438; *cruciata*, 438; *lutea*, 438; *nivalis*, 438; *straminea*, 438; *tibetica*, 438; *walujewi*, 438

Gentianaceae, 430, 437, 438, 439

Gerwasia, 339

Geum chiloense, 245

GILLY, CHARLES L.: New species of Cyperaceae from British Guina and Surinam, 291

Ginkgo, 116, 128, 129, 130

Glyceria nervata, 393

Gnaphalium polycephalum, 393

Godetia grandiflora, 272

Gomphrena globosa, 247

GOODWIN, RICHARD H.: Variation in a natural population of *Plantago artistata*, 109. Studies on the fluorescence of roots, 366

GOODWIN, RICHARD H. AND FREDERICK KAVANAGH: The isolation of scopoletin, a blue-fluorescing compound from oat roots, 255

Gossypium, 89

Gossypium, evolution of, 147

Gramineae, 245

GRANT, VERNE: Arthur Dobbs (1750) and the discovery of the pollination of flowers by insects, 217

Growth, excised tomato roots, 136: of plant tissues in vitro, 142

GUNCKEL, JAMES E.: Growth habit, shoot expression and the mechanism of its control in *Ginkgo biloba*, 220

Gynura, 346

Gypsophila elegans, 248

Halenia, 430; *elliptica*, 438

HANSEN, HENRY P.: Postglacial forests in West Central Alberta, Canada, 278

HARRIS, HUBERT A.: Antibacterial activity of seedling extracts of cultivated plants, 244

HAUSMAN, ETHEL HICKEY: Beginner's guide to wild flowers (Review), 67

HECHT, ADOLPH: The somatic chromosomes of *Sarracenia*, 7

Helianthus annus, 248; *giganteus*, 393

Hemerocallis fulva, 393

Hemipteris, 444

Hemitrichia vesparium, 162, 172

HEUSSER, C. J.: A note on buried cedar logs at Secaucus, N. J., 305. History of an estuarine bog at Secaucus, New Jersey, 385

Hibisceae, 89

Hibiscus, 249; *esculentus*, 249; *grandiflora*, 94; *moscheutos*, 393; *oculiroseus*, 393; *populneus*, 94

Histiopteris, 455

Hordeum, 261

Houttuynia, 215, 216; *cordata*, 215

HOWARD, RICHARD A.: Atkinsia Gen. Nov., *Thespesia*, and related West Indian Genera of the Malvaceae, 89

HUTCHINSON, J. B.: The evolution of *Gossypium* and the differentiation of the cultivated cottons (Review), 147

HUTTLESTON, DONALD G.: The three subspecies of *Arisaema triphyllum*, 407

Hypericum virginicum, 393

Hydrobiologia, new journal, 146

Hydrophyllaceae, 249

Hymenostilbe melanopoda, 29

Hypolepis, 454, 456
Hypolytrum, 291, 292
Hypolytrum Jenmani, 292; **sandwithii**, **291**, 292; *strictum*, 292
Hyssopus officinalis, 249
Iberis umbellata, 245, 246
Ilex verticillata, 393, 395
Impatiens balsamina, 257; *biflora*, 393
Index to American botanical literature, 69, 149, 223, 308, 374, 468
Ipomea noctiflora, 245, 248; *Purga*, 262
Iris versicolor, 393
Isaria melanopus, 29
Isoetes, 275, 440, 441; *asiatica*, 275; *coromandelina*, 266, 267, 275; *echinospora*, 267, 275; *japonica*, 267, 275; *lacustris*, 266; *macrospora*, 134, 135, 266, 267, 268, 271, 273, 275, 440, 441; *melanopoda*, 266, 275; *muricata* var. *Braunii*, 267, 269, 271, 273, 275, 276, 440, 441, 442, 443
Itti-arealou, 54, 57, 58, 59, 60, 61
Itty-Alu, 63
JAKOWSKA, SOPHIE: The trichomes of *Physaria geyeri*, *Physaria australis* and *Lesquerella sherwoodii*: Development and morphology, 177
JOHNSON, M. A.: The shoot apex in vascular plants, 141
Juglandaceae, 208
Juglans, 197, 200, 205, 206, 207, 208
Juncus gerardi, 393, 394, 398
Juniperus, 414, 424; *horizontalis*, 414, 415, 416, 417, 418, 419, 421, 422, 423, 424, 425, 426, 427, 428; *virginiana*, 414, 415, 416, 417, 418, 419, 421, 422, 423, 424, 425, 426, 427, 428
Kalanchoë, 343, 345; *Daigremontiana*, 343, 345; *verticillata*, 343, 345
Kalmia, 12, 13, 14, 15, 16
KARLING, JOHN S.: *Nowakowskiella* crassa sp. nov., *Cladochytrium* **aureum** sp. nov., and other polycentric chytrids from Maryland, 294. Three new species of Chytriomyces from Maryland, 352
Karlingia, 355, 357, 359
Keteleeria, 130
Kochia trichophylla, 248
Labiatae, 246, 249
Labyrinthula, 167
Lactuca sativa, 248; *sativa* var. *romana*, 248; *tenerrima*, 346
Larix, 130, 399, 400; *laricina*, 279, 389, 399, 400, 405
Lastrea globulifera, 446
Lathyrus odoratus, 249
Lauraceae, 31
Ledum groendlandlicum, 279
Leguminosae, 246, 249
Lemna minor, 393
Lepidium sativum, 248
Lepironia, 292
Lesquerella Kingii, 179; *Sherwoodii*, 177, 179, 180, 185, 187, 189, 190, 191, 192, 194, 195
Leucothoe racemosa, 393
LEVINE, MICHAEL: Growth and differentiation of plant tissues in vitro, 142
Ligusticum tolucensis, 45
Liliaceae, 245, 249
Limnanthemum, 430
Linaceae, 246, 249
Linaria maroccana, 250
Lindsaea, 455, 460; *ensifolia*, 456; *Macraena*, 456
Linum grandiflorum var. *rubrum*, 246, 249
Lobelia erinus var. *compacta*, 247
Lomatium, 39
Lupinus albus, 235, 236, 237, 241; *hartwegii*, 249
Lycopersicum esculentum, 250; *esculentum* var. *ponderosa*, 245
Lycopodium, 272, 275, 276; *annotinum*, 267, 273, 274, 275, 276; *annotinum* var. *acrifolium*, 267; *clavatum*, 267, 274, 275, 276; *complanatum*, 267, 272, 276; *complanatum* var. *elongatum*, 273, 274, 275, 276; *inundatum*, 267, 274; *lucidulum*, 267, 274; *obscurum*, 267, 273, 274, 275, 276; *Selago* var. *patens*, 267
Lycopsida, 276
Lycopus uniflora, 393
Lysimachia thyrsiflora, 393
Lythrum salicaria, 393
MCCLINTOCK, BARBARA: The relation of a gene-controlled breakage of a chromosome to the general problem of genic instability, 141
MCCOY, RALPH W.: On the embryology of *Swertia carolinensis*, 430
MACHT, DAVID I.: Phytotoxic blood sera in medicine, 235
Maga cubensis, 90, 97; *grandiflora*, 92; *Urban*, 92, 99
Magnolia virginiana, 395
Maianthemum, 17; *bifolium*, 17, 22; *canadense*, 17, 19, 393
MAINS, E. B.: *Cordyceps bicephala Berk* and *C. australis* (Speg.) Sacc., 24
Mainsia, 339; *Pterocarpi*, 339
Malcomia maritima, 245, 246, 247, 250
Malvaceae, 89, 91, 177, 246, 249

Malvaviscus populneus, 94
MANNING, WAYNE, E.: The genus *Alfaroa*, 196
Mapania, 292
Maravalia, 339; *achroa*, 339; *ascotela*, 339; *Pterocarpi*, 339
MATUDA, ELIZI: A new species of Carludovica (Cyclanthaceae) from Southern Mexico, 210
Mehtamyces, 340
Melissa officinalis, 249
Menyanthaceae, 430, 437
Menyanthes, 430
Meria, 341
Microsorium spectrum, 455
Mikania, 394; *scandens*, 392, 393, 394
Mirabilis jalapa, 246, 249
Montezuma, 89, 94; *cubensis*, 97; *grandiflora*, 92; *speciosissima*, 92
Mougeotia, 354
Mucor Ramannianus, 139
Murraya exotica, 262
Mutants, triploid, 1
Myceliochytrium fulgens, 299, 300
Myosotis sylvatica, 247
Myrrhidendron, 51; *glaucescens*, 51; *Pennellii*, 51
Myxomycetes, 161, 167
Naiadaceae, 438
NAUSS, RUTH N.: **Reticulomyxa filosa** Gen et Sp. Nov., a new primitive plasmodium, 161
NEARING, G. G.: Lichens we see on field trips, 221
Nemesia strumosa, 250
Nemophila menziesii insignis, 249
Neocephalocarpus, 292
Neonelsonia, 51; *acuminata*, 51
Nepeta cataria, 249
Nicotiana alata var. *grandiflora*, 246, 250; *Tabacum*, 262
Nigella damascena, 249
Notholaena, 454
Notothylas, 272
Nowakowskiella, 294, 296, 298, 300; **crassa**, **294**, **295**, 296, 298, 300; *delica*, 296; *elegans*, 299, 300; *granulata*, 299, 300; *hemisphaerospora*, 299, 300; *macrospora*, 299, 300, 361; *profusa*, 296, 298, 299, 300, 361
Nyctaginaceae, 246, 249
Nyssa sylvatica, 393, 395
Obelidium, 357
Ocimum basilicum, 249
Oedogonium, 354
Oenothera, 5
Onagraceae, 249, 438
Onoclea sensibilis, 393
OOSTING, HENRY J.: The study of plant communities (Review), 306
Ophioglossum, 458
Oreamunoa, 200, 205, 208; *pterocarpa*, 200
Origanum majorana, 249
Osmunda cinnamomea, 393; *regalis*, 392, 395
Ottoa oenanthoides, 50
Pachycandyla striata, 26, 29
Paesia, 455
Panicum virgatum, 393, 395
Papaveraceae, 246, 249
Papaver rhoeas, 249
Paris, 319, 320
Pastinaca sativa, 250
Pellaea, 444
Peltandra, 438; *virginica*, 393
Penicillin, 79
Penicillium, 176; *chrysogenum*, 79, 80; *frequentens*, 176; *luteum*, 176; *rugulosum*, 176
PERLMAN, D.: Production of penicillin on natural media, 79
Perula, 62; *retusa*, 56, 62
Petroselinum hortense, 250
Petunia hybrida, 246, 250
Phakopsora, 340
Phaseolus, 177; *vulgaris* var. *humilis*, 249
Phlox, 130; *drummondii*, 249
Phlyctidium mycetophagum, 362
Phragmites, 394, 395, 404; *communis*, 385, 392, 393, 395, 398, 403
Physaria Geyeri, 177, 179, 181, 182, 184, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195; *australis*, 177, 179, 180, 183, 185, 187, 189, 190, 191, 192, 194, 195
Physiologia plantarum, a new botanical journal, 66
Phytolacca decandra, 393
Phytomonas campestris, 261; *phaseoli*, 251; *stewartii*, 251; *tumefaciens*, 252
Phyton, a new journal, 222
Picea, 284, 399, 400; *abies*, 424; *engelmanni*, 281; *glauca*, 279, 287; *mariana*, 279, 287, 389, 398, 399, 400, 405
Pilea pumila, 393
Pimpinella anisum, 250
Pinus albicaulis, 281; *banksiana*, 281; *contorta*, 279, 284; *flexilis*, 281
Piperaceae, 216
PIRONE, P. P.: Some important diseases of shade trees, 141
Pisum, 261; *sativum*, 246, 249

Plantago aristata, 109, 112, 114, 115; *lanceolata*, 113; *Purshii*, 112, 113
Plasmodium, 161
Platycarya, 203
Pluchea camphorata, 392, 393, 395
Polemoniaceae, 249
Polychytrium, 299, 300; *aggregatum*, 297, 299, 300
Polygonaceae, 249
Polygonum acre, 392, 393, 395; *arifolium*, 393; *hydropiperoides*, 393; *muhlenbergii*, 393; *sagittatum*, 393; *scandens*, 393
Polypodiaceae, 444
Polytoma uvella, 106
Populus, 287, 288; *tacamahacca*, 280; *tremuloides*, 280
Portulaca grandiflora, 249
Portulaceae, 249
Potentilla, 425
Proceedings of the Club, 65, 141, 220, 307, 364, 462
Proteomyxa, 161, 167
Prunus serotina, 262, 393
Psedera quinquefolia, 393
Pseudomonas aeruginosa, 252
Pseudotsuga taxifolia, 281, 284
Psilotum, 458
Pteridium, 455
Pteris, 444, 453, 454, 455, 456, 457, 458, 459, 460; *arguta*, 458; *biaurita*, 444, 446, 455; *brevisora*, 456; *coriacea*, 458; *cretica*, 455, *dentata*, 457; *excelsa*, 444, 446, 449, 453, 454, 455, 456, 458, 460; *Lidgatei*, 447, 448, 450, 453, 454, 455, 456, 457, 458, 459, 460; *longifolia*, 455; *pteridioides*, 456; *quadriaurita*, 454, 455, 456, 461; *tremula*, 457
Pterocarya, 197, 206, 207, 208
Ptilimnium, 394; *capillaceum*, 392, 393, 394, 395
Puccinia, 340; *aequitatis*, 32; *cara*, 32; *Chomeliae*, 340; *cinnamomicola*, 32; *coronopsora*, 32; *lauricola*, 32; *machili*, 32; *machilicola*, 32; *morata*, 32; *scimitriformis*, 31, 32; *seposita*, 32; *spongiosa*, 340
Pucciniastrum, 340; *Castaneae*, 340; *Coriariae*, 340
Pullularia pullulans, 176
Pyrus arbutifolia atropurpurea, 393
Pythium, 361
Quamoclit pinnata, 246, 248; *sloteri*, 246, 248
Quercus bicolor, 393, 395; *palustris*, 393; *robur*, 4; *rubra*, 393
Radicula nasturtium-aquaticum, 393; *palustris* var. *hispida*, 393
Ranunculaceae, 249
Ranunculus sceleratus, 393
Raphanus sativus, 248
Ravenelia, 340
Reseda odorata, 249
Resedaceae, 249
Reticulomyxa, 161; filosa, 161, **162, 163,** 164, 165, **166,** 167, **168,** 169, 170, 171, 172
Rhamnus frangula, 393, 395
Rheum rhaponticum, 249
Rhizidium, 355
Rhizophlyctis, 355
Rhizophydium, 360, 361, 362
Rhododendron viscosum, 393, 395
Rhus copallina, 393; *toxicodendron*, 392, 393, 395
Ricinus communis, 249
RICKETT, H. W.: Travels of John Bradbury up the Missouri river in 1801 and 1811, 463
RICKETT, THERESA C.: (Review) 66
ROBBINS, W. J.: Observations on a trip to Japan, 65
ROBBINS, WILLIAM J. AND MARY STEBBINS: An additional report on the growth of excised tomato roots, 136
Rosa carolina, 393
Rosaceae, 245
Rosmarinus officinalis, 249
ROSS, JAMES G. AND ROBERT E. DUNCAN: Cytological evidences of hybridization between *Juniperus virginiana* and *J. horizontalis*, 414
Rubus, 393
Rumex acetosa, 249; *britannica*, 393
Ruta graveolens, 250
Rutaceae, 250
RYAN, FRANCIS J.: Adaptation of biochemical mutants of microorganisms, 221
Sadleria squarrosa, 446
Sagittaria latifolia, 393
Salmonella paratyphi, 250, 251, 252
Salpiglossis sinuata, 250
Salvia officinalis, 249
Sambucus canadensis, 393
Sanguisorba canadensis, 395
Sarcina lutea, 246, 253
Sarracenia, 7, 8, 10; *drummondii*, 7, 8, 9; *flava*, 7, 8, 9; *jonesii*, 7, 8, 9; *miner*, 7; *psittacina*, 7, 8, 9; *purpurea*, 7, 8, 9; *purpurea* var. *gibbosa*, 7; *purpurea* var. *venosa*, 7; *rubra*, 7, 8, 9; *variolaris*, 7
Satureia hortensis, 246, 249
Saururaceae, 216

Saururus, 214, 215, 216; *cernuus*, 213, 216; *chinensis*, 215
Scabiosa atropurpurea, 249
Schizanthus wisetonensis, 250
Schizopteris lydgatei, 451
Schizostege, 444, 445, 453, 454, 455, 456, 458, 460; *calocarpa*, 450, 459, 460; *lidgatei*, 445, 453; *lydgatei*, 444; *pachysora*, 450, 459, 460
Scirpus, 395; *americanus*, 393, 395; *olneyi*, 392, 393, 394, 395, 398, 402, 404; *robustus*, 393; *validus*, 393
Scopella, 339, 340; *ascotela*, 339
Scopellopsis, 339; *Dalbergiae*, 339
Scopolia japonica, 262
Scrophulariaceae, 246, 250
Scutellaria galericulata, 393
Secale cereale, 319
Sedum ternatum, 4
Selaginella, 271, 272, 275; *apoda*, 272, 275; *emiliana*, 275; *grandis*, 275; *Martensii*, 275; *Ouvrardii*, 275; *rupestris*, 135, 267, 271, 272, 275, 276; *serpens*, 275; *Vogelii*, 275
Senecio, 346
Septochytrium, 296; *macrosporum*, 296; *variabile*, 299, 300
Sequoiadendron, 130
Serratia marcescens, 246, 253
Shade trees, diseases of, 141
SHARP, A. J.: (Review) 306
Shepherdia canadensis, 177
Shoot apex, in vascular plants, 141
SINGLETON, J. R.: (Review) 67
Siphonaria, 360
Sium cicutaefolium, 393
Smilax, 243; *rotundifolia*, 393
Solanaceae, 240, 245, 250
Solanum dulcamara, 393; *melongena* var. *esculentum*, 250; *tuberosum*, 262
Solidago elliotti, 393; *graminifolia*, 393; *rugosa*, 393; *scabra*, 393; *sempervirens*, 393; *serotina*, 393
Spartina, 394, 404; *cynosuroides*, 392, 393, 394; *glabra pilosa*, 393, 394; *michauxiana*, 393, 394; *patens*, 393, 395, 402
Sphenomeris chusana, 446
Spinacia oleracea, 248
Spirogyra, 354
Staphylococcus aureus, 246, 250, 251, 252, 253
Stereospermum, 340; *suaveolens*, 340
STERLING, CLARENCE: Embryonic differentiation in *Taxus cuspidata*, 116
Stigeoclonium, 354
SWAMY, G. L.: A reinvestigation of the embryo sac of *Maianthemum canadense*, 17
Swertia, 430; *carolinensis*, 430, 437, 438, 439; *longifolia*, 438; *perennis*, 438
Symplocarpus, 438
Tagetes erecta, 248
Tamarix, 19; *africana*, 19
Taraxacum officinale, 248
Tauschia, 50; *Jahnii*, 50; *nudicaulis*, 50, 51
Taxus, 116, 117, 129, 130; *baccata*, 131; *cuspidata*, 116, 131
Telome theory, 143
Thalictrum polygonum, 393
Thelosperma hybridum, 248
Thespesia, 89, 90, 94; *beata*, 89, 96; *cubensis*, 89, 97; *danis*, 90; *Garckeana*, 90; *grandiflora*, 89, 92, 94; *lampas*, 90; *populnea*, 90, 94; *tomentosa*, 90
THIRUMALACHAR, M. J.: Critical notes on some plant rusts, 339
Thoracostachyum, 292
Thymus vulgaris, 249
Tomato roots, growth of excised, 136
Torreya, 65, 141, 217, 302, 364, 462
Torreya, 116
Trachymene caerulea, 250
Tragopogon porrifolius, 248
Trichomes, 177
Trillium, 319, 320, 321, 326, 334, 335, 424; *erectum*, 319, 321, 322, 323, 324, 327, 328, 329, 332, 334, 335; *grandiflorum*, 3; *kamstchaticum*, 319; *luteum*, 323, 324, 328, 334, 335; *smallii*, 319; *tschonoskii*, 319
Triticum, 261, 320
Triton, 319
Tropaeolaceae, 245, 246, 250
Tropaeolum majus, 246, 250; *peregrinum*, 245
Tsiela, 60
Tsuga heterophylla, 286
Typha, 394; *angustifolia*, 392, 393, 394, 398, 404; *latifolia*, 392, 393
Ulbrichia beatensis, 90, 96; *Urban*, 90, 95
Uleiella, 340, 342; *chilensis*, 341; *paradox*, 341
Ulmus, 17
Umbelliferae, 39, 51, 250
Urostigma, 61; *accedens* β *latifolia*, 56, 62; *amblyphyllum*, 55, 61; *arbutifolium*, 55, 61; *littorale*, 63; *microcarpum*, 55, 61; *nitidum*, 54, 55, 58, 61, 63; *ovoideum*, 56, 62; *pisiferum*, 55, 61; *retusam*, 56, 61, 62; *tjiela*, 60

Vaccinium, 395; *atrococcum*, 393; *corymbosum*, 393, 395; *corymbosum amoenum*, 393; *macrocarpon*, 395; *oxycoccus*, 389
Variation, natural in *Plantago*, 109
Varinga parnifolia, 63; *rubra*, 63
Vaucheria, 354
Vegetatio, new journal, 146
Velaea, 40, 45; *peruviana*, 39, 45
Vellea, 40
Verbena hastata, 393; *hybrida*, 250
Verbenaceae, 250
Viburnum dentatum, 393; *nudum*, 393; *prunifolium*, 393
Vicia Faba, 3
Villarsia, 430
Vinca rosea, 247
Viola cornuta, 250; *pallens*, 393
Violaceae, 250
Vitis labrusca, 393
Vittaria, 458
WAGNER, WARREN H.: A reinterpretation of *Schizostege lidgatei* (Baker) Hillebrand, 444
Welwitschia, 116
WHITAKER, T. W.: (Review) 147
WOODWARD, CAROL H.: Vernacular names for *Roccella*. An etymological note, 302
Woodwardia radicans, 446
Xenostele, 32; *echinacea*, 32; *litseae*, 32; *neolitseae*, 32
Zea mays, 245; *mays* var. *saccharata*, 250
Zinnia grandiflora, 248
Zizania aquatica, 393